| Authors | Page |
|---|------------|
| ADAM, R. D., PAREKH, P., and HARROWER, A. D. B.: Prolonged effect of nadolol on heart rate in hyperthyroidism | 212 |
| ANSSEAU, M., DAWSON, A. F., and CHAMPION, F.: The use of high dose lormetazepam in psychiatric in-patients | 598 |
| BAILEY, Harry R., DAVIES, Evan, and MORRISON, Ian J.: Oxazepam in the treatment of anxiety associated with depression: results of treatment in 1600 cases (Studies in depression). VI) | 156 |
| in depression, VI) BALME, H. W., WOJTULEWSKI, J. A., and HUSKISSON, E. C.: Clinical experience with tolmetin sodium | 127 |
| BAX, R. P., and YOUNG, J. P. W.: Cefotaxime: United Kingdom clinical trial results in the treatment of severe infections | 401 |
| BENIJTS, G., VIGNALLI, M., DREYSING, W., and STETTENDORF, S.: Three-day therapy of vaginal candidiasis with clotrimazole vaginal tablets and econazole ovules: | 55 |
| a multicentre comparative study BERRY, H., FERNANDES, L., BLOOM, Brenda, CLARK, R. J., and HAMILTON, E. B. D.: Clinical study comparing acupuncture, physiotherapy, injection and oral anti- | 55 |
| inflammatory therapy in shoulder-cuff lesions BLACK, M. M., PLATT, N. E., and MUGGLESTONE, C. J.: A study of potential skin atrophy following topical application of weak corticosteroids | 121 463 |
| BONADUCE, Domenico, FERRARA, Nicola, PETRETTA, Mario, CANONICO, Vincenzo, ROMANGO, Enrico, and RENGO, Franco: Comparison of the antihypertensive activities of xipamide and chlorthalidone: a double-blind, randomized, crossover | 247 |
| trial | 247 |
| BYRON, Margaret A., and STEELE, Christine E.: A double-blind crossover study comparing tolmetin sodium and naproxen in the treatment of ankylosing spondylitis | 670 |
| CAPELLI, L., CHIANESE, V., La MONTAGNA, G., and GIORDANO, M.: Further studies on glucametacin in rheumatoid arthritis and in other chronic types of rheumatism | 227 |
| CAPRETTI, L., BONORA, E., COSCELLI, C., and BUTTURINI, U.: Combined sulphonylurea-biguanide therapy for non-insulin-dependent diabetics. Metabolic effects of glibenclamide and metformin or phenformin in newly-diagnosed obese patients | 677 |
| CARNEY, M. W. P., and RUTHERFORD, P.: Clopenthixol decanoate in schizophrenia CHIA, Boon-Lock: A comparison between once-daily and twice-daily administration of metoprolol in the management of hypertension | 205 85 |
| CHIN, K. C., KERR, M. M., COCKBURN, F., and McALLISTER, T. A.: A pharmacological study of cefaclor in the newborn infant | 168 |
| CHOPRA, M. P. ADDISON, J. M., CHOPRA, A., and HIGGINBOTTOM, L.: Plasma and saliva theophylline levels and pulmonary function in asthmatic patients after a sustained-release theophylline preparation ('Nuelin' SA) | 624 |
| CHUMDERMPADETSUK, Saowani, and LEKAGUL, Poonsri:Beclomethasone dipropionate nasal spray in childrenCONWAY, M., and LIPTON, S.: A comparison of a new analgesic, nefopam hydro- | 665 |
| chloride, with morphine sulphate, pentazocine and pethidine hydrochloride in post- operative pain | 580 |
| COOKE, Deborah M., and BROWNING, A. K.: Cephalexin therapy for infections in the elderly and other vulnerable patients. | 62 |
| CRAWFORD, S. M., and MILES, D. W.: Salbutamol and cardiac arrhythmias CREATSAS, G., PAVLOTOS, M., LOLIS, D., and KASKARELIS, D.: A study of the kinetics of cephapirin and cephalexin in pregnancy | 410 |
| CRILLY, R. G., HORSMAN, A., PEACOCK, M., and NORDIN, B. E. C.: The vitamin D metabolites in the pathogenesis and management of osteoporosis. CRISP, A. J., KENNEDY, P. G. E., HOFFBRAND, B. I., EBBUTT, A. F., and CARRU- | 337 |
| THERS, M.: Lipids and lipoprotein fractions after cyclopenthiazide and oxprenolol: a double-blind crossover study | 101 |
| a controlled clinical investigation | 104 |
| DAVIES, Joan, DIXON, Alan St. J., and STEELE, Christine E.: Tolmetin sodium and indomethacin in the treatment of osteoarthrosis of the hip: a double-blind crossover study | 115 |
| DeLUCA, Hector F.: The biochemical basis of renal osteodystrophy and post-menopausal osteoporosis: a view from the vitamin D system | 279 |

| Authors | Page |
|---|------------|
| ADAM, R. D., PAREKH, P., and HARROWER, A. D. B.: Prolonged effect of nadolol on heart rate in hyperthyroidism | 212 |
| ANSSEAU, M., DAWSON, A. F., and CHAMPION, F.: The use of high dose lormetazepam in psychiatric in-patients | 598 |
| BAILEY, Harry R., DAVIES, Evan, and MORRISON, Ian J.: Oxazepam in the treatment of anxiety associated with depression: results of treatment in 1600 cases (Studies in depression). VI) | 156 |
| in depression, VI) BALME, H. W., WOJTULEWSKI, J. A., and HUSKISSON, E. C.: Clinical experience with tolmetin sodium | 127 |
| BAX, R. P., and YOUNG, J. P. W.: Cefotaxime: United Kingdom clinical trial results in the treatment of severe infections | 401 |
| BENIJTS, G., VIGNALLI, M., DREYSING, W., and STETTENDORF, S.: Three-day therapy of vaginal candidiasis with clotrimazole vaginal tablets and econazole ovules: | 55 |
| a multicentre comparative study BERRY, H., FERNANDES, L., BLOOM, Brenda, CLARK, R. J., and HAMILTON, E. B. D.: Clinical study comparing acupuncture, physiotherapy, injection and oral anti- | 55 |
| inflammatory therapy in shoulder-cuff lesions BLACK, M. M., PLATT, N. E., and MUGGLESTONE, C. J.: A study of potential skin atrophy following topical application of weak corticosteroids | 121 463 |
| BONADUCE, Domenico, FERRARA, Nicola, PETRETTA, Mario, CANONICO, Vincenzo, ROMANGO, Enrico, and RENGO, Franco: Comparison of the antihypertensive activities of xipamide and chlorthalidone: a double-blind, randomized, crossover | 247 |
| trial | 247 |
| BYRON, Margaret A., and STEELE, Christine E.: A double-blind crossover study comparing tolmetin sodium and naproxen in the treatment of ankylosing spondylitis | 670 |
| CAPELLI, L., CHIANESE, V., La MONTAGNA, G., and GIORDANO, M.: Further studies on glucametacin in rheumatoid arthritis and in other chronic types of rheumatism | 227 |
| CAPRETTI, L., BONORA, E., COSCELLI, C., and BUTTURINI, U.: Combined sulphonylurea-biguanide therapy for non-insulin-dependent diabetics. Metabolic effects of glibenclamide and metformin or phenformin in newly-diagnosed obese patients | 677 |
| CARNEY, M. W. P., and RUTHERFORD, P.: Clopenthixol decanoate in schizophrenia CHIA, Boon-Lock: A comparison between once-daily and twice-daily administration of metoprolol in the management of hypertension | 205 85 |
| CHIN, K. C., KERR, M. M., COCKBURN, F., and McALLISTER, T. A.: A pharmacological study of cefaclor in the newborn infant | 168 |
| CHOPRA, M. P. ADDISON, J. M., CHOPRA, A., and HIGGINBOTTOM, L.: Plasma and saliva theophylline levels and pulmonary function in asthmatic patients after a sustained-release theophylline preparation ('Nuelin' SA) | 624 |
| CHUMDERMPADETSUK, Saowani, and LEKAGUL, Poonsri:Beclomethasone dipropionate nasal spray in childrenCONWAY, M., and LIPTON, S.: A comparison of a new analgesic, nefopam hydro- | 665 |
| chloride, with morphine sulphate, pentazocine and pethidine hydrochloride in post- operative pain | 580 |
| COOKE, Deborah M., and BROWNING, A. K.: Cephalexin therapy for infections in the elderly and other vulnerable patients. | 62 |
| CRAWFORD, S. M., and MILES, D. W.: Salbutamol and cardiac arrhythmias CREATSAS, G., PAVLOTOS, M., LOLIS, D., and KASKARELIS, D.: A study of the kinetics of cephapirin and cephalexin in pregnancy | 410 |
| CRILLY, R. G., HORSMAN, A., PEACOCK, M., and NORDIN, B. E. C.: The vitamin D metabolites in the pathogenesis and management of osteoporosis. CRISP, A. J., KENNEDY, P. G. E., HOFFBRAND, B. I., EBBUTT, A. F., and CARRU- | 337 |
| THERS, M.: Lipids and lipoprotein fractions after cyclopenthiazide and oxprenolol: a double-blind crossover study | 101 |
| a controlled clinical investigation | 104 |
| DAVIES, Joan, DIXON, Alan St. J., and STEELE, Christine E.: Tolmetin sodium and indomethacin in the treatment of osteoarthrosis of the hip: a double-blind crossover study | 115 |
| DeLUCA, Hector F.: The biochemical basis of renal osteodystrophy and post-menopausal osteoporosis: a view from the vitamin D system | 279 |

| DEQUEKER, J., and MARDJUARDI, A.: Treatment of rheumatoid arthritis with flurbiprofen: a comparison with enteric-coated aspirin DICK, T. B. S., MARPLES, J., LEDERMANN, H. M., and WHITTINGTON, John- Comparative study of one and 3 times daily regiment of herafibrate in patients with |
|---|
| Comparative study of once and 3-times daily regimens of bezafibrate in patients with primary hyperlipoproteinaemia |
| EASTMOND, C. J., HOPKINS, R., and WRIGHT, V.: A comparative controlled study of tiaprofenic acid ('Surgam') and naproxen in the treatment of rheumatoid arthritis ELLIOTT, H. L., LAWRENCE, J. R., CAMPBELL, B. C., GOLDBERG, A., and SMART, L. E.: Effect of iron poly (sorbitol-gluconic acid) complex on urinary cellular excretion |
| FERNANDES, L., JACOBY, R. K., SMITH, P. J., NEWTON, P., SWINSON, D. R., and WHITTINGTON, John: Comparative trial of standard and sustained-release formulations of ibuprofen in patients with osteoarthritis FRASCHINI, F., BRAGA, P. C., COPPONI, V., MACCARI, M., PIOVANI, D., SCAGLIONE, F., and SCARPAZZA, G.: Bactericidal activity of erythromycin in the respiratory system FROMMER, D. J.: Measurement of gastro-oesophageal reflux after antacid adminis- |
| tration using a perfusion technique |
| GASTPAR, H.: New aspects of the pathogenesis of atherosclerosis: possible approaches to prevention and treatment |
| GHOSH, A. K., and RASTOGI, A. K.: A randomized comparison between sulindac and ibuprofen in osteoarthritis of the aged GIBINSKI, Kornel: Some problems in modern anti-ulcer drug evaluation: a comparison |
| of four gastric acid suppressors |
| ('Meclomen') with buffered aspirin in the treatment of rheumatoid arthritis GUERIN, A., BAKER, P. G., and GOULTON, J.: Multi-centre study of acebutolol in hypertensive subjects: results for patients from the 50 to 64-years' old and over 65-years' old age groups |
| HASHEMI, K., DONALDSON, L. J., FREEMAN, J. W., SOKHI, G. S., GYDE, O. H. B., and SMITH, H. V.: The use of topical thrombin to reduce wound haematoma in patients receiving low-dose heparin HAUGER-KLEVENE, Julia H.: Renin levels and cardiovascular morbidity: a prospective study of the effect of beta-adrenergic blocking drugs HAUGER-KLEVENE, Julia H., and PINKAS, Mirta B.: Long-term treatment of essential hypertension with guanfacine: effect on cardiovascular complications, renin and prolactin HAYAKAWA, Akira, TAKEI, Shinsuke, and IBAYASHI, Hiroshi: Effects of proglumide on serum gastrin levels and gastric secretion in man HOLMAN, R. M.: Non-steroid creams in the treatment of chronic psoriasis in general practice: comparison of a 0.1% dithranol and urea cream with a refined coal tar cream HUSKISSON, E. C., and ENGLER, C.: A single-dose analgesic study of naproxen sodium and soluble aspirin in patients with rheumatoid arthritis |
| ISIDORI, A., LO MONACO, A., and CAPPA, M.: A study of growth hormone release in man after oral administration of amino acids |
| KANIS, J. A., BROWN, C. B., CAMERON, E. C., CUNDY, T., PLATTS, M. M., PATERSON, A., and RUSSELL, R. G. G.: The role of vitamin D metabolites in the osteomalacia of renal disease — KEAN, W. F., KRAAG, G. R., ROONEY, P. J., and CAPELL, H. A.: Clinical therapeutic |
| trial of aspirin and azapropazone in rheumatoid arthritis when prescribed singly and in combination |
| KUBIK, M. M.: A hospital out-patient study of timolol/bendrofluazide combination ('Prestim') in essential hypertension KUIPERS, J. S.: A comparison of cefamandole, cefoxitin, cefuroxime, cefotaxime and |
| cefoperazone: an <i>in vitro</i> test on a number of beta-lactamase producing strains of 9 species and 1 genus of bacteria |

| KYRITSIS, V., CORDOSSIS, Th., GRAMMENOU, S., ELIOPOULOS, G., and TSELENTIS, J.: Comparison of the antimicrobial activity and beta-lactamase resistance of cefotiam (CGP/14221E) with that of cefotaxime, cefuroxime, cefoxitin and | (20) |
|---|------------|
| cephalothin LANGRICK, A. F., and HEAD, A. C.: A multi-centre general practice study on the use of a timolol/bendrofluazide combination ('Prestim') in the management of hypertension: | 639 |
| preliminary report LASSUS, Allan: Local treatment of acne. A clinical study and evaluation of the effect | 268 370 |
| of different concentrations of benzoyl peroxide gel | 349 |
| LEMOINE, P., ACHAINTRE, A., BALVAY, G., BONNET, H., BURGAT, R., CARRIER, C., and PERRIN, J.: Double-blind trial of amineptine and clomipramine in the treatment | 234 |
| of depression LIMPONGSANURAK, S., JENKINS, N., and FOTHERBY, K.: Effect of contraceptive steroids on serum levels of sex hormone binding globulin and caeruloplasmin | 185 |
| MAIONE, Stefania, TETI, Giuseppe, VIGORITO, Carlo, PERTICONE, Franco, SERINO, Claudio, GIUNTA, Anna, and CONDORELLI, Mario: Echocardiographic evaluation of acute administration of oxyfedrine in patients with coronary artery disease | 241 |
| MATTILA, Matti A. K., and LARNI, Harry M.: The effect of diazepam on methohexitone short anaesthesia: a clinical double-blind investigation | 171 |
| MEEHAN, Stewart E., and WALKER, William F.: Naftidrofuryl for severe ischaemia: assessment using skin pH micro-electrode measurements | 690 |
| MCHAMMED, Riaz, MITCHELL, Kenneth G., and MACKAY, Colin: The treatment of 'cimetidine resistant' peptic ulcers by ranitidine hydrochloride: a new histamine | 14 |
| H ₂ -receptor antagonist | 523 253 |
| NAUTA, I. L. D., and van de CALSEYDE, J. F.: Study of an anti-arrhythmic agent, disopyramide, in delayed action form ('Ritmoforine' Retard) NIEVEL, J. G., and HAVARD, C. W. H.: A double-blind crossover comparative study of the efficacy of single daily doses of conventional and slow-release metoprolol NIEVEL, J. G., and HAVARD, C. W. H.: Assessment of the efficacy and acceptability of an acebutolol/hydrochlorothiazide combination in the treatment of mild to moderate | 215 503 |
| essential hypertension | 526 |
| David M., LUM, Jo, MYERS, Donald B., and WILSON, Karen: A single-blind crossover trial of the anti-inflammatory drug sodium meclofenamate and placebo, including an evaluation of hand grip and lymphocyte responsiveness | 359 |
| PETRILLO, M., LĂZZARONI, M., SAPONATI, G., and BIANCHI PORRO, G.: The use of rociverine as premedication for endoscopy of the upper gastro-intestinal tract: a double blief controlled clinical trial. | 72 |
| double-blind controlled clinical trial PINES, A., RAAFAT, H., KHORASANI, M. H., SHARMA, J. C., and MENDAY, A. P.: An evaluation of parenteral mecillinam in a chest hospital POLI, Maurizio, MARGONATO, Alberto, ROMANELLI, Tiziana, MEDI, Sira, | 73 137 |
| PIATTI, Piero M., and POZZA, Guido: Effect of the withdrawal of phenformin on the glycaemic control and lactate production during exercise in non-insulin-dependent diabetics | 684 |
| PUJALTE, José M., LLAVORE, Elpidio P., and YLESCUPIDEZ, Florencito R.: Double-blind clinical evaluation of oral glucosamine sulphate in the basic treatment of osteo-arthrosis | 110 |
| RAHMAN, M.: Sensitivities of clinically significant organisms to four cephalosporins, ampicillin and mecillinam | 96 |
| ROBERTS, A. P., PHILLIPS, Ruth, GRIFFITHS, A., and SYKES, R. B.: The sensitivity of urinary isolates to cefuroxime, a new β -lactamase stable cephalosporin | 5 |
| SAHAY, J. N.: A comparative trial of combination therapy in obstructive airways disease SAUNDERS, A., KIRKHAM, J., BIRD, H. A., and WRIGHT, V.: Non-steroidal anti- | 23 |
| inflammatory drugs and the Sigma SR in rheumatic diseases SEEDAT, Y. K.: An evaluation of debrisoquine and mefruside in the treatment of hyper- | 192 |
| tension in African and Indian patients SEIFERT, M. H., and ENGLER, Corina: Naproxen suppositories in combination with oral naproxen, indomethacin and ibuprofen in the treatment of rheumatoid arthritis | 68 38 |
| | |

Page

| | Page |
|--|------|
| SLEET, R. A., and KHAN, M. A.: Comparative study of mefenamic acid and dextro- propoxyphene plus paracetamol in an accident and emergency department SMITH, A. G. E.: Spironolactone in the long-term management of patients with | 77 |
| congestive heart failure SMOLENSKI-KAUTZ, S.: A double-blind comparative trial of a new muscle relaxant, tizanidine (DS 103-282), and baclofen in the treat- | 131 |
| artee that of a new muscle relaxant, thankonic (DS 105-262), and bactoren in the treatment of chronic spasticity in multiple sclerosis STAMP, T. C. B.: Calcitriol dosage in osteomalacia, hypoparathyroidism and attempted | 374 |
| treatment of myositis ossificans progressiva STEELE, Christine E., and JEFFERSON, Wendy L.: A multi-centre study of zomepirac | 316 |
| in painful conditions: an analysis of clinical data for 5819 patients SUTCLIEFF, Patricia A.: A comparison between a 3-day and a 5-day course of | 553 |
| pivmecillinam as a treatment for acute lower urinary tract infections in general practice | 563 |
| TAINA, Esko: Ibuprofen versus placebo in the relief of post-episiotomy pain TELHAG, Hans, BACH-ANDERSEN, Rasmus, and PERSSON, Björn: A double-blind | 423 |
| comparative evaluation of tolmetin versus naproxen in osteoarthritis THEODORIDIS, A., MARCOLLOU-KINDI, O., VAGANA, A., SIVENAS, C., and CAPETANAKIS, J.: Single oral dose of epicillin combined with probenecid in the | 392 |
| treatment of gonorrhoea THORPE, J. A. C.: Effect of propranolol on the lower oesophageal sphincter in man | 91 |
| TULLOCH, J. A., and MARR, T. C. K.: Sulphinpyrazone and myocardial infarction TYAS, Christine, STEWART-JONES, J. H., EDGAR, D. F., and TURNER, P.: The | 440 |
| effect of 0.25% and 0.5% pindolol on intraocular pressure in normal human volunteers | 550 |
| VALLÉ-JONES, J. C., and SWARBRICK, D. J.: Once daily flupenthixol in the treatment of elderly depressed patients: a multi-centre trial in general practice | 543 |
| WAERN A. Urban: Combined antihypertensive therapy: vasodilatation using prazosin | 28 |
| in combination with beta-adrenoceptor blockers and diuretics WESTELINCK. K., and MICHOTTE, Y.: Low dose once-a-day guanfacine for the | |
| treatment of hypertension in general practice: a multi-centre pilot study WILLCOX, R. R., SPARROW, R. W., BARNEY, R., and WOODCOCK, K. R.: The | 631 |
| treatment of gonorrhoea in females with divided doses of cefaclor | 601 |

| Subject | | | | | | Page |
|---|---------------|-------------|-----------|-----------|---------------|---------------------|
| Acebutolol, effect on psychomotor performa | ance, compa | ared with p | roprai | nolol | _ | 33 179 |
| _, in elderly hypertensives Acebutolol/hydrochlorothiazide combinatio | n in hypert | ension | _ | | _ | 526 |
| Acupuncture, in shoulder-cuff lesions, compa | | | hphysi | otherany | _ | 121 |
| Amineptine, in depression, compared with c | lominramin | e | a puly si | omerapy | _ | 234 |
| Amino-acids, effect on growth hormone | ompiamin | _ | _ | | | 475 |
| Aminophylline combined with salbutamol, i | n obstructiv | ve airways | diseas | e. compar | red | |
| with salbutamol alone | | | _ | -,p | _ | 23 |
| Amitriptyline, in depression, compared with | mianserin | | _ | _ | _ | 14 |
| Amoxycillin, in the respiratory system _ | | | _ | - | - | 429 |
| _, in respiratory and urinary infections, com | bined with | mecillinan | 1 _ | | _ | 137 |
| Ampicillin, serum and bronchial mucus level | | | _ | _ | - | 429 96 |
| _, in vitro activity, compared with cephalosp | orins and n | necilinam | _ | _ | $\overline{}$ | 127 |
| Analgesics and anti-inflammatory agents, alc | oxiprin | | _ | 164 | 294 | 418, 471 |
| , aspirin | - | | _ | 104, | 304, | 164 |
| , azapropazone | nation | | - | _ | _ | 77 |
| _, flurbiprofen | _ | | | _ | _ | 418 |
| _, glucametacin | _ | | - | _ | _ | 227 |
| _, glucosamine | - | | _ | - | | 104, 110 |
| _, ibuprofen | _ | | _ | _ 38, | 423, | 482,610 |
| _, indomethacin | _ | | _ | _ | _ | 38, 115 |
| _, mefenamic acid | _ | | _ | | _ | 77 |
| _, morphine | _ | | _ | 20 202 | 4774 | 580 |
| , naproxen | _ | - | _ | 38, 392, | 4/1, | 605,670 |
| , nefopam | ad Siama SI | | _ | _ | _ | 580 192 |
| _, non-steroidal anti-inflammatory agents ar | iu sigilia sr | _ | _ | - | | 580 |
| , pentazocine | _ | | ***** | _ | _ | 580 |
| _, phenylbutazone | _ | | _ | | - | 127 |
| _, sodium meclofenamate | _ | | _ | | - | 359, 384 |
| _, sulindac | _ | | _ | _ | | 482 |
| _, tiaprofenac acid | | | - | _ | - | 605 |
| , tolmetin | - | | _ | 115, 121, | 127. | 392,670 |
| _, zomepirac | . – | | - | | _ | 553 |
| Antacids, effect on gastro-oesophageal reflu | | | _ | _ | _ | 452 |
| Antibiotics and antibacterial agents, ampicil | lin _ | | _ | - | - | 96, 429 |
| _, amoxycillin | - | | _ | _ | - | 137, 429 |
| _, cefaclor | _ | | - | _ | _ | 168, 601 96, 196 |
| , cefamandole | _ | | _ | _ | _ | 196 |
| _, cefoperazone | _ | | _ | _ | 106 | 401, 429 |
| _, cefoxitin | - | | _ | _ | 170. | 96,196 |
| _, cefuroxime | _ | | - | _ | _ | 5, 96, 196 |
| _, cephalexin | | | _ | _ | _ ; | 43, 62, 96 |
| _, cephaloridine | _ | | _ | _ | _ | 5 |
| _, cephapirin | _ | | _ | _ | _ | 43 |
| _, cephradine | | | _ | _ | _ | 1 |
| _, epicillin | | | _ | _ | - | 1 |
| _, erythromycin | | - | _ | - | _ | 429 |
| _, mecillinam | - | | _ | _ | _ | 96, 137 |
| _, pivmecillinam | _ | | _ | _ | - | 563 |
| , probenecid | - | | _ | _ | _ | 234 |
| Antidepressive agents, amineptine | - | - | _ | _ | - | 14 |
| , clomipramine | - | | | _ | _ | 234 |
| _, flupenthixol | _ | | _ | _ | _ | 543 |
| , mignserin | _ | | _ | - | | 14 |
| Antifungal agents, clotrimazole | | | _ | _ | _ | 55 |
| _, econazole | _ | | _ | _ | _ | 55 |
| Antihypertensive agents, acebutolol | _ | | _ | Service . | _ | 33, 179 |
| _, acebutolol/hydrochlorothiazide combina | ation _ | | _ | _ | _ | 526 |
| _, chlorthalidone | - | | _ | | _ | 247 |
| _, debrisoquine | _ | - | _ | _ | _ | 68 |
| _, guanfacine | | | _ | | _ | 569, 631 |
| _, mefruside | _ | | _ | _ | _ | 68 |
| | | | | | | |

| | | | | | | | | | | | | Page |
|-----------------------------------|----------|---------|----------|------------|----------|----------|----------|-------------|---------|----------|------|-----------|
| _, metoprolol | _ | _ | _ | _ | _ | _ | - | - | _ | _ | _ | 85,503 |
| _, metoprolol/ | hydroc | hlorot | hiazid | combi | ination | _ | _ | _ | _ | _ | _ | 536 |
| _, nadolol | | _ | - | - | - | _ | - | _ | - | _ | - | 212 |
| _, oxprenolol | | | - | - | - | widower. | en en | _ | | - | - | 443 |
| _, oxprenolol/o | cyclope | enthia | zide co | mbinat | ion | _ | _ | - | - | _ | _ | 101 |
| _, pindolol | - | Acres . | - | - | - | - | _ | - | - | _ | - | 443,550 |
| _, prazosin | - | - | A400 | 10000 | | - | - | - | _ | - | -2 | 28 |
| _, propranolol | - | - | | | - | - | _ | - | | - | 3. | 3,91,443 |
| , sotalol , timolol | | _ | - | - | - | - | _ | _ | _ | _ | _ | 443 |
| _, timolol/bend | droflua | zide | combin | nation | _ | _ | _ | _ | _ | _ | _ | 47, 268 |
| _, xipamide | _ | _ | _ | _ | | _ | | _ | _ | | _ | 247 |
| Aspirin, in rheu | matoid | arthr | itis, co | mbined | and co | ompare | ed with | azapro | pazon | e | _ | 164 |
| _, _, compare | | | | _ | _ | - | _ | | _ | | _ | 418 |
| _, _, _, napro | | _ ' | _ | _ | _ | _ | _ | _ | | _ | - | 471 |
| _, _, _, sodiu | m mecl | ofena | mate | - | | | _ | _ | _ | | _ | 384 |
| Azapropazone, | in rhet | ımatoi | id arth | ritis, ald | one or o | combin | ned with | n aspiri | in | _ | - | 164 |
| Baclofen, in mu | ltiple s | cleros | is, con | pared | with tiz | anidin | e | _ | | | _ | 374 |
| Beclomethason | | | | | | | | s in chi | ldren | _ | _ | 565 |
| Benzoyl peroxic | | | _ | _ | _ | _ | _ | **** | - | - | - | 370 |
| Beta-adrenergic | | | | | renin | levels | and car | rdiovas | cular | morbid | lity | 443, 569 |
| Bezafibrate, in | | | | | _ | _ | _ | _ | _ | _ | _ | 489 |
| Bronchodilating | g agent | s, ami | nophyl | line | - | - | | | - | - | week | 23 |
| _, fenoterol | _ | - | ndo-sub- | **** | - | _ | _ | _ | _ | - | 22 | 349 |
| _, salbutamol | _ | _ | _ | _ | _ | _ | | - | | - | 25. | 349,410 |
| _, theophylline | | - | - | - | - | - | - | - | | - | - | 624 |
| Calcitriol, in os | steoma | lacia, | hypop | arathyr | oidism | and n | nyositis | ossific | cans p | rogress | iva | 316 |
| Cefaclor, in gor | | | | - | - | - | - | Anna | - | | - | 601 |
| _, pharmacoki | | | | | | - | | | _ | _ | _ | 168 |
| Cefamandole, i | | | | | | | | orins | _ | - | - | 196 |
| Cofonorman | | | | | | | | - | | _ | _ | 96 196 |
| Cefoperazone, Cefotiam, in vii | | | | | | | | | - | _ | - | 639 |
| Cefotaxime, cli | | | | | | | osporm | 3 | _ | _ | _ | 401 |
| _, serum and b | | | | | ctions | _ | | _ | | | _ | 429 |
| _, in vitro activ | | | | | ephalo | sporin | S | _ | _ | _ | _ | 196, 639 |
| Cefoxitin, in vii | | | | | | | | S | _ | _ | _ | 196,639 |
| _, _, _, other | | | | | | | | | _ | 0000 | _ | 96 |
| Cefuroxime, in | vitro a | ctivity | , comp | | | | | _ | _ | _ | _ | 5 |
| _, _, _, other | | | | | - | | _ | - | - | - | _ | 196,639 |
| _, _, _, other | | | | | and m | ecillina | am | _ | _ | _ | - | 96 |
| Cephalexin, in | | | | | | | - | | - | | - | 62 |
| _, in vitro activ | | | | | epnalo | sporin | s, amp | icillin | and n | necillin | am | 96 |
| _, pharmacoki | | | | | with o | efurov | ime | _ | | - | - | 43 |
| Cephaloridine, Cephalothin, in | vitro a | ctivity | r comi | npared u | ith oth | er cen | halosno | rins | _ | _ | _ | 639 |
| Cephapirin, ph | | | | | | or cop. | inacospe | A A A A A A | - | | _ | 43 |
| Cephradine, co | | | | | | ecid. ir | gonor | rhoea | _ | _ | | 1 |
| Chlorthalidone | | | | | | | | | - | | | 247 |
| Cimetidine, eff | | | | | | | | nitidine | e, pros | tagland | lins | |
| and trithiozir | | _ | _ | _ | _ | _ | _ | _ | | - | _ | 516 |
| Clobetasone, sl | kin atro | phy e | ffects, | compa | red wit | h fluoc | ortin a | nd hyd | rocort | isone | _ | 463 |
| Clomipramine, | in dep | ression | n, com | pared v | vith am | ineptin | ne | _ | _ | _ | - | 234 |
| Clopenthixol, i | | | | | | - | - | _ | _ | _ | - | 205 |
| Clotrimazole, i | n vagin | al can | didiasi | s, comp | pared w | ith eco | onazole | - | | | _ | 55 |
| Contraceptives | | | | | | | | | caeru | lloplasi | nın | 185 |
| Cyclopenthiazi | de, cor | nbine | d with | oxpren | olol, et | tects of | n lipids | _ | _ | _ | _ | 101 |
| Debrisoquine, | in hype | rtensi | on, cor | npared | with n | efrusio | de | - | _ | _ | _ | 68 |
| Dermatologica | | | | | - | _ | _ | | _ | - | _ | 370 |
| _, clobetasone | | - | - | - | _ | - | _ | _ | - | - | _ | 463 |
| _, dithranol/u | rea | - | _ | - | - | _ | - | 1000 | - | - | - | 649 |
| _, fluocortin | - | | - | - | - | *** | - | - | softek | - | _ | 463 |
| _, hydrocortise | | - | _ | | | | 1.1 | _ | | 1 7 | - | 463 |
| Dextropropoxy | phene | plus | parace | tamol, | compa | ared w | ith me | renami | e acio | i, in pe | ost- | 77 |
| injury pain | - | - | - | - | | - | - | - | - | - | - | 77 |

| | | | | Page |
|--|------------|----------|--------|-------------|
| Diazepam, effect on methohexitone anaesthesia | | | | Page 171 |
| Disopyramide, in arrhythmia | _ | _ | _ | 215 |
| Dithranol, combined with urea, compared with coal tar in psorias | is _ | _ | _ | 649 |
| Diuretics, bendrofluazide/timolol combination | - | | _ | 47, 268 |
| _, chlorthalidone | - | - | _ | 247 |
| , cyclopenthiazide/oxprenolol combination | _ | _ | _ | 101 |
| , hydrochlorothiazide/acebutolol combination | | _ | _ | 526 536 |
| , hydrochlorothiazide/metoprolol combination | - | _ | - | 131 |
| , spironolactone | - | - | | 247 |
| | _ | _ | _ | |
| Econazole, in vaginal candidiasis, compared with clotrimazole _ | _ | - | _ | 55 |
| Epicillin, combined with probenecid, in gonorrhoea | _ | _ | _ | 120 |
| Erythromycin, bactericidal activity in the respiratory system _ | eruloplas | min | _ | 429 185 |
| Ethinyl oestradiol, effect on sex hormone binding globulin and ca | cruiopias | SHILL | _ | 103 |
| Fenoterol, in asthma, compared with salbutamol | _ | _ | _ | 349 |
| Flupenthixol, in depression | _ | | - | 543 |
| Fluocortin, skin atrophy effects, compared with clobetasone | and hydi | rocortis | sone | 463 |
| Flurbiprofen, in rheumatoid arthritis, compared with aspirin _ | - | - | | 418 |
| Clibanalamida combinad with matformin or phonformin match | alia affaa | 40 | | 677 |
| Glibenclamide, combined with metformin or phenformin, metable Glucametacin, in rheumatoid arthritis | one enec | rs — | _ | 227 |
| Glucosamine, in osteoarthrosis | | | _ | 104, 110 |
| Guanfacine, in hypertension | _ | _ | _ | 569,631 |
| Hydrochlorothiazide/acebutolol combination, in hypertension | | | - | 526 |
| Hydrochlorothiazide/metoprolol combination, in hypertension | _ | - | _ | 536 |
| Hydrocortisone, skin atrophy effects, compared with clobetasone | | | | 463 |
| Hyoscine butylbromide, as premedication for endoscopy, compa | ared with | rocive | rine | 73 |
| Ibuprofen, combined with naproxen and indomethacin, in rheum | atoid artl | nritis | | 38 |
| _, in osteoarthritis | - | _ | _ | 610 |
| _, _, compared with sulindac | _ | - | _ | 482 |
| , in post-episiotomy pain | | _ | _ | 423 |
| Indomethacin, combined with naproxen and ibuprofen, in rheum | atoid artl | nritis | - | 38 |
| , in osteoarthrosis, compared with tolmetin | lor overe | - | - | 115 264 |
| Iron poly (sorbitol-gluconic acid) complex, effect on urinary cellu | iidi excie | tion | _ | 204 |
| Lormetazepam, in resistant insomnia | _ | _ | _ | 598 |
| Macillinam in vitus activity, compared with amnicillin and conho | loomonino | | | 96 |
| Mecillinam, in vitro activity, compared with ampicillin and cepha | | | direct | 137 |
| , parenteral, in respiratory and urinary infections, combined with Mefenamic acid, in post-injury pain, compared with dextro | propoxy | hene | nlus | 137 |
| paracetamol | - | _ | - | 77 |
| Mefruside, in hypertension, compared with debrisoquine | - | | - | 68 |
| Metformin, combined with glibenclamide, metabolic effects in di | abetics | _ | **** | 677 |
| Methohexitone anaesthesia, effect of diazepam | _ | _ | _ | 171 |
| Metoprolol, in hypertension | - | _ | _ | 85,503 |
| Metoprolol/hydrochlorothiazide combination, in hypertension | _ | _ | _ | 536 14 |
| Mianserin, in depression, compared with amitriptyfine Morphine, in post-operative pain, compared with nefopam, pentaz | ocine an | d nethi | dine | 580 |
| | oeme an | a petin | unic | 500 |
| Nadolol, in hyperthyroidism, effect on heart rate | _ | - | - | 212 |
| Naftidrofuryl, in severe ischaemia | | _ | | 690 |
| Naproxen, in ankylosing spondylitis, compared with tolmetin _ | _ | _ | _ | 670 |
| , in osteoarthrosis, compared with tolmetin | _ | _ | _ | 392 |
| , in rheumatoid arthritis, compared with tiaprofenic acid | _ | _ | _ | 605 471 |
| , sodium, in rheumatoid arthritis, compared with aspirin, suppositories, in combination with oral naproxen, indomet | hacin or | ihunr | rfen | 38 |
| Nefopam, in post-operative pain, compared with morphine | nentaz | ocine | and | 50 |
| pethidine | , pointe | | | 580 |
| Norgestrel, effect on sex hormone binding globulin and caerulopl | asmin | _ | _ | 185 |
| | | | | |
| Oxazepam, in anxiety associated with depression | _ | _ | _ | 156 |
| Oxprenolol, combined with cyclopenthiazide, effects on lipids | - | | - | 101 |
| , effect on renin and cardiovascular complications Oxyfedrine, in coronary disease, echocardiographic evaluation | - | _ | - | 443 241 |
| oxyredime, in colonary disease, echocardiographic evaluation | - | _ | _ | 241 |

| | | | | | | | | | | Page |
|--|------------|---|----------|---|-------------|-----------|---------|------------|------|----------|
| Pentazocine, in post-opera | tive pain | , comp | ared w | ith ne | fopam, r | norph | ine an | d pethi | dine | 580 |
| Pentoxifylline, effect on re | d cell de | format | oility | _ | _ | _ | | _ | | 352,520 |
| _, in atherosclerosis _ | _ | - | _ | - | - | - | _ | - | - | 142 |
| _, in cerebrovascular dise | ase | _ | | _ | _ | _ | _ | _ | _ | 253 |
| Pethidine, in post-operative | | ompare | d with | nefop | am, mo | rphine | and p | entazo | cine | 580 |
| Phenformin, effect of with | | | | | | | - | _ | _ | 677 |
| , combined with glibench | lamide, r | netabo | lic effe | ects in | diabetic | :S | _ | _ | _ | 684 |
| Physiotherapy, in shoulde | er-cuff le | sions, | compa | red w | ith toln | netin a | and a | cupunc | ture | 121 |
| Pindolol, effect on intra-oc | | | _ | _ | _ | _ | _ | _ | _ | 550 |
| ,, renin and cardiovas | | | ions | _ | - | - | _ | _ | _ | 443 |
| Pivmecillinam, in lower ur | inary tra | ct infec | ctions | _ | _ | _ | - | _ | _ | 563 |
| Prazosin, combined with b | eta-bloc | kers an | d diure | etics, i | n hyper | tension | n _ | _ | - | 28 |
| Probenecid, combined wit | h epicill | in and c | cephra | dine, i | n gonor | rhoea | _ | _ | _ | 1 |
| Proglumide, effect on seru | m gastri | n and g | astric: | secret | ion | - | - | - | _ | 658 |
| Propranolol, effect on low | er oesop | hageal | sphine | ter | _ | _ | | | - | 91 |
| _, _, psychomotor perfor | mance, | compai | red wit | h acel | butolol | - | _ | _ | _ | 33 |
| _, _, renin and cardiovas | cular cor | mplicat | ions | - | _ | _ | _ | _ | _ | 443 |
| Prostaglandins, effect on g | | | | compa | ared wit | h cime | etidine | e, raniti | dine | |
| 1 . 1.1.1 | - | | | _ * | _ | _ | _ | _ | _ | 516 |
| | | | | | | | | | | |
| Ranitidine, in cimetidine-r | esistant | pentic i | ulcer | | | | | | | 523 |
| _, effect on gastric acid | secretio | n. com | pared | with o | cimetidi | ne. pr | ostag | andins | and | |
| trithiozine | Deerero | | Parec | | | ne, pr | ooing. | | | 516 |
| Rociverine, as premedicat | ion for e | endosco | onv. cc | mpar | ed with | hvosci | ne bi | tvlbro | nide | 73 |
| receivering, as premiedical | | | P), 00 | m.p.m. | | , 000 | | , | | , . |
| Salbutamol, in asthma, con | mnared v | with fer | oterol | | | | | | | 349 |
| _, cardiovascular effects | pui.eu | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | _ | _ | | _ | _ | _ | 410 |
| _, combined with aminop | hylline o | r used : | alone | in ohs | tructive | airwa | vs disc | 2250 | _ | 23 |
| Sigma SR, effect of non-ste | | | | | | | 93 613 | Juse | | 192 |
| | | | | | | | _ | _ | | 359 |
| compared with asni | rin | acord tar | | | - | _ | _ | _ | _ | 384 |
| Sotalol effect on renin and | d cardio | vascula | rcomr | lication | ons | _ | _ | _ | _ | 443 |
| Sodium meclofenamate, ir ,, compared with aspir Sotalol, effect on renin and Spironolactone, in congesi | tive hear | t failur | a comi | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | O R R D | | _ | _ | | 131 |
| Sulindae in este earthritis | compar | ed with | ibunr | ofen | | - marin | _ | _ | _ | 482 |
| Spironolactone, in congest Sulindac, in osteoarthritis, Sulphinpyrazone, in myoc | ardial in | farction | 1 | OLULI | _ | _ | _ | _ | _ | 440 |
| outpillipy ruzono, in myoc | ur urur m | ini o cioi | - | _ | | _ | _ | _ | | * 10 |
| Theophylline, in asthma, p | ulmona | ry func | tion n | laema | and sali | va leve | ele | | | 624 |
| Thrombin, topical, in wou | nd haem | atoma | tion, p | 166511166 | CALLE DIALL | 101011 | 0.0 | _ | _ | 458 |
| Tiaprofenic acid, in rheun | | | | red w | ith napr | oxen | _ | _ | _ | 605 |
| Timolol, effect on renin ar | nd cardie | wascul | ar com | plicat | ions | 0,,,,,,,, | _ | _ | _ | 443 |
| Timolol/bendrofluazide co | ombinati | ion in l | vnert | ension | 1 | _ | _ | _ | _ | 47, 268 |
| Tizanidine, in multiple scl | erosis co | mnare | dwith | haclo | fen | _ | _ | _ | | 374 |
| Tolmetin, in ankylosing sp | ondylitis | comp | ared u | ith na | proven | _ | _ | _ | _ | 670 |
| , in osteoarthrosis, comp | ared wit | h aloxi | | | | | | _ | | 127 |
| , indomethacin | arcu wit | II aloai | prin | _ | _ | - | - | _ | _ | 115 |
| _, _, _, naproxen | - | - | _ | _ | _ | - | - | _ | - | 392 |
| _, in rheumatoid arthritis. | compar | ed with | nhen | vlhuta | 70ne | _ | | - | _ | 127 |
| _, in shoulder-cuff lesions | compar | red with | h acun | unctu | re and n | hysiot | heran | v | _ | 121 |
| Trithiozine, effect on gastr | | | | | | | | | dins | |
| and ranitidine | ic acid be | oci otioi | 1,00111 | parea | THE CHI | 1011011 | e, pre | Drug Since | | 516 |
| | _ | 440 | _ | _ | _ | _ | _ | _ | - | 010 |
| Vitamin D role in hypona | rathuroid | diem | | | | | | | | 316 |
| role in octeomalacia | iatilyion | 313111 | _ | - | _ | _ | _ | - | _ | 294, 316 |
| role in post-menopausa | losteon | orosis | _ | - | _ | _ | _ | - | | 279, 337 |
| Vitamin D, role in hypopa _, role in osteomalacia _, role in post-menopausa _, role in renal osteodystr | onhy | 010313 | _ | _ | _ | _ | _ | _ | _ | 279 |
| _, role in renar osteodysti | opily | _ | _ | _ | _ | _ | _ | - | _ | 213 |
| Vinomida in hungetancion | | rad wit | h ahla | etholic | lone | | | | | 247 |
| Xipamide, in hypertension | i, compa | ired wit | n cino | tinanic | lone | - | _ | | _ | 241 |
| Zamaninas in madanata ta | | | | | | | | | | 553 |
| Zomepirac, in moderate to | o severe | pain | _ | - | _ | _ | - | - | _ | 333 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Special Issue | | | | | | | | | | |
| • | | | | | | | | | | |
| New prospects in metaboli | ic bone d | lisease | _ | - | _ | - | - | - | _ | 279-348 |

Supplements to Volume 7

| Supplement No. 1. Clinical medicine in the elderly | | | | | |
|--|----------|----------|--------|------------------|------|
| , | | | | Suppl. | page |
| Introduction, J. L. C. Dall | _ | _ | _ | _ | 3 |
| The elderly patient and multiple disease. A. N. Exton-Smith | _ | _ | _ | _ | 5 |
| Parkinsonism in the elderly. M. Hildick-Smith | _ | _ | _ | _ | 14 |
| Glaucoma screening in the elderly. Roger A. Hitchings | - | _ | _ | _ | 23 |
| Mobility in the elderly: the problems of arthritis. V. Wright | _ | - | - | - | 28 |
| Symptomatic osteoarthritis in the elderly: a comparative | study | of su | lindac | and | 33 |
| ibuprofen. A. K. Ghosh and A. K. Rastogi Osteoarthritis and non-steroidal anti-inflammatory drugs: a m | ultino | antro o | | timo | 33 |
| study. M. S. J. Pathy | uniti-co | entre co | ompara | llive | 41 |
| Hypertension in the elderly: an overview. K. O'Malley, W. O'Brien | O'Ca | llaghan | and E | \overline{T} . | 53 |
| Methyldopa in the elderly hypertensive. J. P. R. MacFarlane | _ | _ | _ | | 63 |
| Secondary prevention of myocardial infarction in the elderly. Torstein Gundersen and Per Ronnevik | Arne | M. Al | braham | sen, | 68 |
| The relationship between serum potassium and cardiac arrhyt infarction in patients aged over 65 years. S. R. Reube | | | | | 79 |
| The arrhythmic danger of hypokalaemia. S. K. Rao | _ | _ | | | 83 |
| Body fluid, electrolytes and diuretics. S. T. McCarthy _ | | | _ | _ | 87 |
| Gastroscopy in elderly patients. G. Bianchi Porro, M. Laz | zaron | i and | Madda | lena | |
| Petrillo | _ | _ | _ | _ | 96 |

Supplement No. 2. Care of the skin through the seven ages of man Suppl. page Introduction. Norman Brudney Why care for skin? John Ebling Infant skin care. J. H. Saurat 10 Skin care in childhood. P. Agache, S. Makki, D. Blanc, S. Coustans and D. Michalet 15 Skin surface lipid composition in different age groups in infancy and childhood. F. Serri, G. Fabrizi and S. Urbani 23 Some observations on stratum corneum. E. Christophers A paediatrician's view of the newborn baby and its epidermis. C. Eric Stroud Skin care and incidence of skin disease in adolescence. John S. Strauss B. R. Djian and J. L. Peyron The evolution of cleansing and antimicrobial care of the skin. S. Selwyn The normal flora of different sites in the young adult. R. Marples Adult skin care — a look to the future. Hans Rossman Mature thoughts on the mature skin. Sam Shuster The skin and its care in the later years of life. Gerd Plewig Water content and moisture-binding capacity of some types of human soft and hard horn. B. A. Turek, M. Vieu, M. Leduc, I. M. Nadvornik and E. Jedla The environment and the skin – treatment and trends. R. Marks Nail care in the 'golden years' of life. Robert Baran

